



Dongguan Right Instrument Co.,Ltd

Tel:+86 132 6746 6269

Email:sales@dgright.com

Add:Wentang,Dongcheng District 523000,Dongguan City,Guangdong Province,PRC

Product Description

RT-102 Mooney Viscometer



Equipment summary:

RT-102 Mooney Viscometer viscosity for rubber vulcanization index determination. Sample in a certain temperature and pressure, the rotor to a certain degree of rotation torque on the sample to



Dongguan Right Instrument Co.,Ltd

Tel:+86 132 6746 6269

Email:sales@dgright.com

Add:Wentang,Dongcheng District 523000,Dongguan City,Guangdong Province,PRC

a certain degree of shear stress, measure out the rubber anti-shear torque. Is reclaimed rubber, rubber, wire and cable industry indispensable instrument.

Meet the standards:

Line GB/T1232 "unvulcanized rubber Mooney Viscosity", GB / T 1233 "Rubber, Determination of characteristics of the initial curing Mooney Viscometer" and ISO289, ISO667 ,ASTM D1646 and other standards.

Applicable industry:

Applied to rubber, tires, reclaimed rubber factory.\

Technical parameter:

Model	RT-102
Control temperature range	Normal temperature~200℃
Temperature display resolution	0.01℃ (0.1℃ common type of imported temperature controller temperature)
Temperature control accuracy	±0.3℃
Calibration accuracy	Mooney value ±0.5
Rotor speed	2 rotation/ min ±0.02rotation/ min
Torque range	Mooney value 0~200
Torque resolution	Mooney value 0.1
Print content	Date, time, temperature, Mooney scorch curve and MV,T5,T35,T3,T18,@15,@30
Power	50HZ, ~220V±10%






Dongguan Right Instrument Co.,Ltd

Tel:+86 132 6746 6269

Email:sales@dgright.com

Add:Wentang,Dongcheng District 523000,Dongguan City,Guangdong Province,PRC





Dongguan Right Instrument Co.,Ltd

Tel:+86 132 6746 6269

Email:sales@dgright.com

Add:Wentang,Dongcheng District 523000,Dongguan City,Guangdong Province,PRC

